



## WISELEAF SCIENTIFIC VENTURES

### HERBAL CARE FOR WOMEN: A GUIDE TO PHYTOTHERAPEUTIC AGENTS IN GYNAECOLOGY AND REPRODUCTIVE HEALTH

#### CHAPTER 5: HERBAL SUPPORT IN FERTILITY AND REPRODUCTIVE HEALTH

**Mr. Abhijeet Singh<sup>1</sup>, Mr. Aman Kumar<sup>2</sup>**

<sup>1</sup>ICFAI School of Pharmaceutical Sciences, The ICFAI University, Dehradun-248197, India.

<sup>2</sup>RIMS split campus, Motherhood University, Roorkee, Haridwar, Uttarakhand-247670, India.

**Email:** [abhirawat4411@gmail.com](mailto:abhirawat4411@gmail.com), [amankumarr999@gmail.com](mailto:amankumarr999@gmail.com)

#### **Abstract**

Reproductive health and fertility issues affect a significant percentage of the world population which has led to a renewed interest in safe, effective and holistic therapeutic modalities. Through its strong tradition in traditional knowledge and growing validation through modern scientific scrutiny, phytotherapy offers highly promising avenues to address these critical health concerns. This proposed chapter will offer a comprehensive review on herbal agents for fertility and reproductive health improvement, focusing on the pharmacognosy, phytochemical profiling and therapeutic potential of important medicinal plants including potent flora from the Himalayan region. This chapter will provide a systematic review of botanical sources that have been traditionally identified as reproductive tonics and fertility enhancers. We will thoroughly detail the active chemical constituents responsible for their pharmacological efficacy, such as phytoestrogens, alkaloids, adaptogenic saponins. The chapter will focus on how these specific phytotherapeutic agents modulate endocrine balance, improve follicular and testicular health and actively mitigate oxidative stress within the reproductive system by elucidating their intricate mechanisms of action. Moreover, acknowledging the significance of





## WISELEAF SCIENTIFIC VENTURES

clinical safety, the text will underscore the necessity for sophisticated analytical screening, stringent quality control, and standardization of these herbal formulations. Special attention will be paid to drug-likeness evaluation of these natural compounds which will bridge the gap between traditional ethnomedicine and modern drug discovery. Ultimately, this extensive review aims to provide researchers and practitioners with solid evidence-based insights for the safe incorporation of phytomedicine into reproductive health care.

**Keywords:** Phytotherapy, Reproductive Health, Pharmacognosy, Fertility Enhancement, Herbal Standardization, Phytochemical Profiling

### 1. Introduction

#### 1.1 The Intersection of Phytotherapy and Reproductive Health: Historical Perspectives and Modern Relevance

A lot traditional knowledge systems of the globe have used medicinal plants for hundreds of thousands years to control reproductive illnesses and enhance fertility [1]. Several botanical remedies in the form of decoctions and macerations and infusions are being used throughout history to manage menstrual cyclicity, suppress reproductive infections, and assist prenatal care throughout pregnancy . [2]. The application of indigenous botanical resources to solve health problems is still widespread in many developing countries, in particular in sub-Saharan Africa, where up to 80% of the population still rely on them. This highlights the ancient origins and the long history of trust in traditional herbal remedies. [3].

The role of herbal medicine in modern pharmacology has gradually evolved from empirically traditional use to evidence-based scientific confirmation [4]. Modern analytical techniques have shown that the therapeutic efficacy of these traditional remedies is due to their complex matrix of secondary metabolites, like phytoestrogens, alkaloids, flavonoids, and volatile oils, and these modulate reproductive physiological processes. Phytomedicine in modern days is not





## WISELEAF SCIENTIFIC VENTURES

just an alternative conventional procedure but also a strong scientifically based way for drug discovery that offers holistic therapies for complex reproductive mechanisms such as steroidogenesis and hormonal regulation..[5].

### 1.2 Overview of female and male reproductive challenges

Fertility health challenges are a major global problem, with World Health Organization statistics indicating that about 186 million people worldwide are affected by fertility problems. Reproductive problems in women are caused by a wide range of conditions often characterised by severe hormonal disorders and structural problems. Polycystic ovaries syndrome (PCOS), endometriosis and premature ovarian failure (POF) are common disorders which are greatly hindering the normal folliculogenesis, ovulatory function and overall reproductive potential [6]. In addition, systemic conditions such as hyperprolactinemia, hypothalamic dysfunction, and physiologic effects of chronic stress or obesity are responsible for the worsening of female infertility and require multi-pronged therapeutic approaches . [7].

In addition, male reproductive health is particularly sensitive to physiological and environmental stresses that compromise testicular architecture and spermatogenesis[8]. Several male reproductive issues are driven by oxidative damage to the testes, epididymis and prostate, causing impaired sperm parameters. In order environmental toxins and reactive oxygen species (ROS) impair sperm motility, morphology and count as well as interfere with vital reproductive hormones such as testosterone, luteinizing hormone (LH) and follicle-stimulating hormone. Herbal extracts and phytotherapy are becoming more investigated for their antioxidative and hormone-modulating properties to protect against oxidative stress and restore male reproductive vitality (**Table 5.1**) [9].

**Table 5.1:** Major Reproductive Disorders and Potential Phytotherapeutic Targets

| Reproductive Condition | Affected Population | Primary Pathophysiological | Therapeutic Targets | Effective Role of Phytotherapy |
|------------------------|---------------------|----------------------------|---------------------|--------------------------------|
|------------------------|---------------------|----------------------------|---------------------|--------------------------------|





## WISELEAF SCIENTIFIC VENTURES

|                                                       |         | Characteristics                                            |                                                            |                                                                  |
|-------------------------------------------------------|---------|------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------|
| Polycystic Ovarian Syndrome (PCOS)                    | Females | Insulin Resistance, Hyperandrogenism, Anovulation          | Androgen regulation, insulin sensitivity, ovarian function | Phytoestrogens, Adaptogens, Antioxidant-Rich Botanicals          |
| Endometriosis                                         | Females | Chronic inflammation, ectopic endometrial growth           | Inflammatory mediators oxidative stress.                   | Phytochemicals with anti-inflammatory and antioxidant properties |
| Premature Ovarian Insufficiency (POI) / Failure (POF) | Females | Premature loss of ovarian follicles                        | Follicular preservation, hormonal balance                  | Estrogenic and antioxidant properties of herbal compounds        |
| Hyperprolactinemia                                    | Females | Elevated prolactin levels leading to ovulatory dysfunction | Endocrine balance control of prolactin                     | Dopaminergic and adaptogenic medicinal herbs                     |
| Infertility in Male                                   | Males   | Reduced sperm count, motility, and morphology              | Spermatogenesis, secretion of testosterone.                | Antioxidants and herbs that boost male hormone production        |
| Oxidative Stress in Testicular                        | Males   | ROS mediated cellular damage                               | Free radical scavenging & mitochondrial protection         | Flavonoids, polyphenols, terpenoids.                             |
| Erectile Dysfunction (ED)                             | Males   | Vascular and hormonal dysfunction                          | Nitric oxide pathway & testosterone levels                 | Vasodilatory and aphrodisiac herbal plants.                      |
| Reproductive Tract Infections (RTIs)                  | Both    | Microbial infection and inflammation                       | Immune modulation, Pathogen clearance                      | Antimicrobial activity of phytoconstituents [10–14]              |





## WISELEAF SCIENTIFIC VENTURES

### 2. Pharmacognosy and Botanical Identification of Key Fertility-Enhancing Plants

#### 2.1 Taxonomical classification and morphological characters of selected herbs.

To ensure the safety, efficacy and therapeutic integrity of the medicinal plants, pharmacognostic evaluation and stringent botanical identification are mandatory. The basic step before the application of sophisticated analytical extraction techniques, such as the isolation of volatile oils by cleverger apparatus or liquid chromatography, is a precise macro- and microscopic evaluation of crude sources of plants [15]. Below is a taxonomical classification and morphological detailing of very important botanical species used in reproductive well-being (Table 5.2).

##### (a) *Withania somnifera* (Ashwagandha)

Taxonomically, *Withania somnifera* belongs to the Kingdom Plantae, Division Angiospermae, and the Family Solanaceae. Morphologically, it's a small erect evergreen tomentose shrub, typically measuring 30-150 cm tall. The stems are branched, densely covered with fine stellate hairs. The leaves alternate on the vegetative shoots, are simple, ovate and glabrous [16]. The floral architecture is dominated by inconspicuous, pale green to yellowish flowers in axillary, umbellate cymes. After fertilisation, the plant produces globose, orange-red berries that are characteristically surrounded by a persistent, enlarged calyx [17]. The root is the chief medicinal part; it is stout, fleshy and whitish brown.

##### (b) *Aloe barbadensis* Miller (Aloe vera)

*Aloe barbadensis* is a perennial drought-resistant succulent of the family Liliaceae (or Asphodelaceae) [18]. Morphologically, it is a stemless or very short-stemmed plant, up to between 80 and 100 cm tall. The leaves are thick, fleshy and green to grey-green, in a dense basal rosette. Lanceolate leaves with serrate margins, with small white teeth [19]. The inner





## WISELEAF SCIENTIFIC VENTURES

parenchyma of the leaf is a clear mucilaginous gel highly valued for therapeutic purposes, and the pericyclic tubules contain a bitter yellow latex [18]. It has a tall shoot with pendulous yellow tubular flowers from the center of the rosette.

### (c) *Tribulus terrestris* (Gokshura)

*Tribulus terrestris* is an annual creeping herb belonging to the family Zygophyllaceae, widely distributed in tropical and temperate regions. It has a narrow, branched and hairy stem that arises from a central taproot. The leaves are opposite and pinnate. The plant bears solitary small flowers of a lemon-yellow colour with five distinct petals[20]. The most diagnostically significant is the fruit, a woody, globose schizocarp that separates into separate, wedge-shaped nutlets (cocci) when ripe. Every single nutlet bears two or three stiff, sharp spines, an adaptation specific in seed dispersal [21].

### (d) *Moringa oleifera* (Drumstick Tree)

*Moringa oleifera*, belonging to the family Moringaceae, is a fast-growing deciduous tree. It has thin, drooping branches, an open crown and thick whitish grey corky bark. Leaves are complex, with feathery, tripinnate leaves with small obovate leaflets that are bright green [22]. The blossoms are yellowish-white, fragrant and carried in spreading axillary panicles. Reproductive Fruits Pendulous, triangular, three-lobed pods which dry and dehisce longitudinally to produce round, brown seeds with uniquely adapted papery wing flaps.

### *Picrorhiza kurroa* (Kutki)

*Picrorhiza kurroa* is a mountainous Himalayan medicinal plant, which has been taxonomically classified under the family Plantaginaceae. It is a small perennial herb morphologically adjusted to the rigors of the alpine environment. Above ground, it is hardly noticeable, with basal, spatulate leaves, with serrated margins, in distinct rosettes. Its underground structure, consisting of long, thick, creeping woody rhizomes covered with dry leaf bases, is determinant





## WISELEAF SCIENTIFIC VENTURES

for its survival and spread. During the reproductive phase, it produces a terminal spike of sessile, bilipped, pale purple flowers, eventually producing a dry ovoid capsule for wind dispersal [23].

### (e) *Asparagus racemosus* (Shatavari)

*Asparagus racemosus* is a woody, climbing undershrub belonging to the family Asparagaceae (historically Liliaceae). It has a woody stem and recurved thorns. The actual foliage leaves are reduced to minute scales, and the photosynthetic functions are performed by modified stem branches, called cladodes, which are arranged in tufts of two to six. The primary pharmacognostic feature is the large tuberous root system composed of several fascicled succulent silvery-white roots that act as reservoirs for the important fertility-enhancing saponins applied in conventional medical practices [24].

**Table 5.2:** Taxonomical classification and botanical characteristics of major fertility-enhancing medicinal plants

| Botanical Name             | Family         | Common Name | Plant Part Used   | Key Morphological Characters                       | Traditional Reproductive Use                             |
|----------------------------|----------------|-------------|-------------------|----------------------------------------------------|----------------------------------------------------------|
| <i>Withania somnifera</i>  | Solanaceae     | Ashwagandha | Root              | Branched shrub, ovate leaves, orange-red fruit     | Enhances sperm quality, libido and reproductive vitality |
| <i>Asparagus racemosus</i> | Asparagaceae   | Shatavari   | Root              | Climbing shrub; cladodes acicular; roots tuberous. | Female fertility tonic supports ovulation                |
| <i>Tribulus terrestris</i> | Zygophyllaceae | Gokshura    | Fruit/Whole plant | Prostrate herb and spiny fruits                    | Enhances testosterone & sperm parameters                 |





## WISELEAF SCIENTIFIC VENTURES

|                         |                 |            |       |                                              |                                              |
|-------------------------|-----------------|------------|-------|----------------------------------------------|----------------------------------------------|
| <i>Mucuna pruriens</i>  | Fabaceae        | Kapikacchu | Seeds | Climbing legumes have hairy pods             | Improves semen quality & fertility           |
| <i>Lepidium meyenii</i> | Medicinal plant | Maca       | Root  | Rosette-forming herb with a fleshy hypocotyl | Enhances libido & fertility                  |
| <i>Panax ginseng</i>    | Araliaceae      | Ginseng    | Root  | Perennial herbs have fleshy roots            | Supports reproductive hormone balance[24–29] |

### 3. Phytochemical Profiling: Phytoestrogens, Adaptogens, and Antioxidants

The pharmacological efficacy of phytotherapy in reproductive health is mainly based on the complex matrices of secondary metabolites. Here, the most important classes of bioactive compounds responsible for restoring the hormonal balance and maintaining the integrity of gonads are phytoestrogens, adaptogens and antioxidants (**Figure 5.1**).

#### (a) Phytoestrogens

Phytoestrogens are non-steroidal plant-derived compounds that are structurally similar to the endogenous mammalian estrogen, 17 $\beta$ -estradiol. The major chemical classes of these compounds were isoflavones (e.g. genistein and daidzein), lignans and coumestans. Phytoestrogens, because of their structural homology, can bind directly to oestrogen receptor alpha (ER $\alpha$ ) and ER $\beta$  and modulate hormonal signalling pathways [30]. For instance, genistein has been shown to stimulate progesterone production in the ovaries, promote maturation of oocytes, and regulate the synthesis of cyclic adenosine monophosphate (cAMP)[31]. These compounds are highly sought after in females to lessen vasomotor symptoms related to the decline of oestrogen, to regulate the oestrous cycle and stimulate follicular development





## WISELEAF SCIENTIFIC VENTURES

without the nasty side effects so often associated with synthetic hormone replacement therapies.[32].

### **(b) Adaptogens**

Stress-induced reproductive dysfunction can be prevented by adaptogenic substances, mainly steroidal saponins and withanolides, which are essential in the downregulation of the hypothalamic-pituitary-adrenal (HPA) axis [33]. *Withania somnifera* (Ashwagandha) Top Adaptogenic Botanical, Rich in Steroidal Lactones, Withanolides. Clinical and systematic reviews have demonstrated that *W. somnifera* root extracts significantly lower oxidative stress in seminal plasma and re-establish the delicate balance of luteinizing hormone (LH) and follicle-stimulating hormone (FSH) [34]. These adaptogens improve the overall semen quality by enhancing the enzyme activity, modulating the endocrine profile, improving the spermatogenesis process and reversing the stress-induced male infertility.

### **(c) Antioxidants**

The reproductive direction is highly sensitive to oxidative stress, where reactive oxygen species (ROS) lead to lipid peroxidation, DNA fragmentation or apoptosis during gametogenesis [35]. Botanical antioxidants (flavonoids, phenolic acids and iridoid glycosides) are equipped with potent cellular defence mechanisms. *Moringa oleifera* is rich in polyphenols, flavonoids (quercetin) and gamma-tocopherol, which have strong free radical scavenging activity and restore endogenous antioxidant enzymes such as superoxide dismutase (SOD) and catalase (CAT). Preclinical models demonstrate that *M. oleifera* extracts can effectively protect testicular architecture and sperm viability from environmental toxicants and oxidative damage [36]. Moreover, the high altitude flora like *Picrorhiza kurroa* (Kutki) has been known to provide highly active iridoid glycosides, i.e. picroside I and II. The hepatoprotective properties of these picrosides are well documented; however, they also possess significant systemic antioxidant properties by lowering lipid peroxides and modulating metabolic homeostasis, which indirectly contributes to optimal reproductive health and systemic hormonal clearance.[37]





## WISELEAF SCIENTIFIC VENTURES




**Figure 5.1:** Phytochemical Profiling: Phytoestrogens, Adaptogens, and Antioxidants

### 3.1 Hormonal regulation and the PI3K/Akt signalling pathway

The therapeutic efficiency of phytotherapy in reproductive health depends on the pleiotropic, multi-targeted mechanisms of biologically active plant compounds, especially in regulating the hypothalamic-pituitary-gonadal (HPG) axis and in maintaining metabolic-reproductive homeostasis [38]. Hormonal dysregulation, including hyperandrogenism as well as insulin resistance, is the pathophysiological core of anovulatory conditions such as polycystic ovary syndrome (PCOS). Phytoconstituents (i.e., flavonoids such as quercetin, polyphenols such as resveratrol, and alkaloids such as berberine) exert profound effects through modulation of key intracellular signalling cascades. A key part in this is the phosphatidylinositol 3-kinase/protein kinase B (PI3K/Akt) signalling pathway.

Under metabolic dysfunction, abnormal activation or inhibition of PI3K/Akt leads to impaired proliferation, induced apoptosis of granulosa cells and abnormal ovarian function [39].





## WISELEAF SCIENTIFIC VENTURES

This specific pathway is influenced by botanical bioactives to enhance cellular insulin sensitivity, reduce androgen receptor expression, and inhibit key steroidogenic enzymes, in particular cytochrome P450 11A1 (CYP11A1) and cytochrome P450 17A1 (CYP17A1) [38,40]. Phytotherapeutics strongly inhibit these rate-limiting enzymes, thus significantly reducing the hyperproduction of free testosterone in theca cells of the ovary, successfully relieving hyperandrogenism and restoring normal follicular maturation and oestrous cyclicity [38]. In addition, systemically acting adaptogenic herbs rely directly on the HPG-axis for modulating the pulsatile release of gonadotropins. In females, this particular regulation facilitates optimal progesterone synthesis and luteinizing hormone (LH) balance while maintaining basal testosterone production and the complex processes for spermatogenesis in males (**Figure 5.2**) [41].




**Figure 5.2:** Hormonal regulation and the PI3K/Akt signalling pathway





## WISELEAF SCIENTIFIC VENTURES

### **4. Mechanisms of action in modulating endocrine and reproductive function**

#### **4.1 Oxidative stress mitigation, the Nrf2 pathway, and mitochondrial quality control**

The reproductive system is highly sensitive to oxidative stress. The overproduction of reactive oxygen species (ROS) exceeds the capacity of endogenous antioxidant scavenging systems, resulting in redox imbalance and extensive lipid peroxidation. This biochemical cascade leads to loss of structural integrity of the gamete plasma membrane, leading to DNA fragmentation and apoptosis of developing germ cells [42]. Robust cell-intrinsic defence mechanisms are provided by botanical antioxidants that mainly act through activation of the Nuclear Factor Erythroid 2-Related Factor 2 (Nrf2) pathway. The phytoconstituents promote rapid nuclear translocation under physiological oxidative stress through the dissociation of Nrf2 from its cytoplasmic repressor, Keap1. Nrf2 binds to the Antioxidant Response Element (ARE) in the nucleus, leading to the increased transcription of key phase II detoxifying enzymes and endogenous antioxidants such as heme oxygenase-1 (HO-1), superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPx) [42,43].

Beyond broad-spectrum ROS scavenging, advanced molecular research points out the crucial role of phytotherapy in sustaining Mitochondrial Quality Control (MQC). Severe mitochondrial dysfunction, iron dysregulation (ferroptosis), and electron transport chain hyperactivation are often associated with complex reproductive pathologies such as endometriosis and male infertility. Plant-derived compounds are powerful modulators of MQC via the activation of the SIRT1/FOXO3a signalling axis [44]. Such targeted activation restores mitochondrial fission/fusion dynamics, enhances PINK1-Parkin-mediated mitophagy (selective elimination of dysfunctional mitochondria) and promotes necessary mitochondrial biogenesis. Thus, the restoration of mitochondrial membrane potential and intracellular calcium homeostasis plays a dual role in not only recovering the oocyte quality and delaying female ovarian ageing but also protecting the testicular architecture and sperm motility against environmental toxicants and heavy metal-induced necrosis [41,44]. Phytotherapeutic





## WISELEAF SCIENTIFIC VENTURES

interventions provide a very holistic mechanistic approach to restore reproductive vitality by harmoniously aligning endocrine signalling pathways with deep cellular antioxidant defences (Figure 5.3).




**Figure 5.3:** Oxidative Stress Mitigation, The Nrf2 Pathway, And Mitochondrial Quality Control

### 5. Therapeutic Potential of Himalayan Medicinal Plants in Fertility





## WISELEAF SCIENTIFIC VENTURES

The Himalayan region is one of the world's richest biodiversity hotspots, harboring a wide range of medicinal plants that have been utilized for centuries in traditional healthcare systems such as Ayurveda, Sowa-Rigpa, and folk medicine[45]. The unique environmental conditions of the Himalayan ecosystem, including high altitude, low temperatures, intense ultraviolet radiation, and nutrient-poor soils, stimulate the production of diverse secondary metabolites in plants. These bioactive constituents often possess potent pharmacological activities, making Himalayan medicinal plants valuable resources for the management of reproductive disorders and fertility enhancement. Traditional healers have long employed several Himalayan herbs to improve reproductive health, enhance libido, regulate hormonal balance, and support conception in both males and females [46].

### 5.1 Himalayan Medicinal Plants Used in Reproductive Health

A variety of Himalayan medicinal plants have traditionally been employed to improve fertility and reproductive well-being in both men and women. Among the most extensively used species are *Withania somnifera* (Ashwagandha), *Asparagus racemosus* (Shatavari), *Dactylorhiza hatagirea* (Salam Panja), *Nardostachys jatamansi* (Jatamansi), *Picrorhiza kurroa* (Kutki), *Aconitum heterophyllum* (Atis), and *Bergenia ciliata* (Pashanbheda) [47]. These plants occupy an important place in traditional Himalayan ethnomedicine and are frequently prescribed as rejuvenating tonics, aphrodisiacs, adaptogens, and remedies for reproductive disorders.

Ashwagandha is perhaps the most widely studied fertility-enhancing herb and is traditionally used to improve vitality, libido, and semen quality[48]. Shatavari is highly valued in women's reproductive health and is often referred to as the "queen of herbs" in Ayurveda due to its beneficial effects on hormonal balance, ovarian function, lactation, and reproductive longevity. *Dactylorhiza hatagirea*, a rare terrestrial orchid native to alpine Himalayan regions, has long been recognized as a powerful aphrodisiac and fertility tonic [49]. Similarly, *Nardostachys jatamansi* is known for its calming and neuroprotective properties, which may help alleviate stress-induced reproductive dysfunction. The widespread traditional use of these species has





## WISELEAF SCIENTIFIC VENTURES

encouraged scientific investigations aimed at validating their fertility-promoting effects and identifying the bioactive constituents responsible for their pharmacological activities (**Table 5.3**) [50].

### 5.2 Pharmacognosy and Phytochemical Profile

Pharmacognostic evaluation plays a critical role in the identification, authentication, and quality control of medicinal plants. Himalayan medicinal plants exhibit distinct morphological, anatomical, and phytochemical characteristics that contribute to their therapeutic potential. The roots of *Withania somnifera* contain withanolides, alkaloids, sitoindosides, and steroidal lactones, which are known for their adaptogenic and reproductive health benefits [51]. Similarly, the roots of *Asparagus racemosus* are rich in steroidal saponins, known as shatavarins, along with flavonoids and polyphenols that contribute to its female reproductive health-promoting effects [52].

*Dactylorhiza hatagirea*, an endangered orchid species found in alpine Himalayan regions, contains mucilage, glycosides, starch, and phenolic compounds that have been associated with aphrodisiac and fertility-enhancing activities. *Nardostachys jatamansi* contains sesquiterpenes, jatamansone, and essential oils that exert neuroprotective and stress-relieving effects, indirectly supporting reproductive function. The phytochemical richness of these plants provides a scientific basis for their traditional use in fertility management [53].

### 5.3 Mechanisms Underlying Fertility Enhancement

The fertility-enhancing effects of Himalayan medicinal plants are mediated through multiple biological pathways. One of the most significant mechanisms involves modulation of the Hypothalamic-Pituitary-Gonadal (HPG) axis, which regulates reproductive hormone secretion. Bioactive compounds present in these plants can influence the production of gonadotropins, testosterone, estrogen, and progesterone, thereby improving reproductive function [54].





## WISELEAF SCIENTIFIC VENTURES

Oxidative stress is a major contributor to infertility in both males and females. Many Himalayan medicinal plants possess strong antioxidant properties due to their high content of flavonoids, phenolic acids, and terpenoids. These antioxidants neutralize reactive oxygen species (ROS), protecting spermatozoa, oocytes, and reproductive tissues from oxidative damage. Improved antioxidant status has been associated with enhanced sperm motility, sperm count, and oocyte quality [55].

Another important mechanism is adaptogenic activity. Chronic psychological stress disrupts endocrine homeostasis and negatively affects fertility. Adaptogenic plants such as *Withania somnifera* help reduce cortisol levels and improve stress resilience, thereby restoring reproductive hormone balance. Additionally, several Himalayan herbs exhibit anti-inflammatory and immunomodulatory activities, which may improve uterine receptivity, implantation success, and overall reproductive health [56].

### 5.4 Scientific Evidence Supporting Fertility-Promoting Effects

Growing scientific evidence supports the traditional use of Himalayan medicinal plants in reproductive medicine. Experimental studies have demonstrated that *Withania somnifera* supplementation improves sperm concentration, motility, and testosterone levels in infertile males. Clinical investigations have also reported improvements in semen quality and reductions in oxidative stress markers following treatment with Ashwagandha root extract [57].

Studies on *Asparagus racemosus* have shown its potential to regulate female reproductive hormones, improve ovarian function, and support fertility through phytoestrogenic activity. Animal studies involving *Dactylorhiza hatagirea* have demonstrated enhanced sexual behavior, increased reproductive organ weight, and improved fertility indices. Research on *Nardostachys jatamansi* indicates beneficial effects on stress-induced reproductive dysfunction by modulating neuroendocrine pathways [58].





## WISELEAF SCIENTIFIC VENTURES

Despite promising findings, most available studies remain preclinical, and well-designed clinical trials are still limited. Variations in plant source, extraction methods, dosage regimens, and study designs present challenges in comparing outcomes across studies. Therefore, further standardization and rigorous clinical evaluation are necessary to establish the efficacy and safety of these medicinal plants for fertility management [59].

**Table 5.3:** Major Himalayan Medicinal Plants with Reported Fertility-Promoting Activities

| Botanical Name                | Common Name | Principal Phytochemicals               | Traditional Use                   | Reported Fertility-Related Effects                            |
|-------------------------------|-------------|----------------------------------------|-----------------------------------|---------------------------------------------------------------|
| <i>Withania somnifera</i>     | Ashwagandha | Withanolides, alkaloids, sitoindosides | Rejuvenator, aphrodisiac          | Improved sperm quality, testosterone levels, stress reduction |
| <i>Asparagus racemosus</i>    | Shatavari   | Shatavarins, flavonoids, saponins      | Female reproductive tonic         | Hormonal regulation, ovarian support                          |
| <i>Dactylorhiza hatagirea</i> | Salam Panja | Glycosides, phenolics, mucilage        | Aphrodisiac and vitality enhancer | Enhanced reproductive performance and sexual behavior         |
| <i>Nardostachys jatamansi</i> | Jatamansi   | Sesquiterpenes, essential oils         | Nervine tonic                     | Stress reduction and neuroendocrine modulation                |
| <i>Picrorhiza kurroa</i>      | Kutki       | Picrosides, iridoid glycosides         | General health tonic              | Antioxidant protection of reproductive tissues                |
| <i>Aconitum heterophyllum</i> | Atis        | Alkaloids, diterpenoids                | Traditional reproductive remedy   | Supportive role in reproductive wellness [60,61]              |





## WISELEAF SCIENTIFIC VENTURES

### **6. Quality Control, Standardization, and Drug-Likeness Evaluation of Herbal Agents**

The increasing use of medicinal plants in reproductive healthcare has highlighted the need for rigorous quality control and standardization of herbal products. Although herbal medicines have been used for centuries and are generally perceived as safe, variations in plant species, geographical origin, cultivation practices, harvesting time, storage conditions, and extraction procedures can significantly influence their chemical composition and therapeutic efficacy. Such variability often results in inconsistencies in product quality, potency, safety, and clinical outcomes. Therefore, the scientific validation and standardization of herbal agents have become essential prerequisites for their acceptance in evidence-based medicine and modern pharmaceutical development[62].

In the context of phytotherapeutic interventions for reproductive health, quality assurance is particularly important because reproductive processes are highly sensitive to changes in hormonal balance, metabolic status, and toxicological exposure. Herbal products intended for fertility enhancement, hormonal regulation, or reproductive support must therefore demonstrate consistent quality, purity, efficacy, and safety. Standardization helps ensure that herbal formulations contain reproducible concentrations of bioactive constituents, thereby minimizing batch-to-batch variability and enhancing therapeutic reliability [63].

#### **6.1 Importance of Quality Control and Standardization**

Quality control refers to the set of procedures employed to verify the identity, purity, strength, and safety of medicinal plant materials and herbal formulations. Standardization, on the other hand, involves establishing consistent specifications and manufacturing procedures that ensure uniform quality throughout production. Together, these processes form the foundation of herbal drug development and regulatory compliance [64].





## WISELEAF SCIENTIFIC VENTURES

Several factors necessitate standardization of herbal medicines. Medicinal plants often contain complex mixtures of bioactive compounds whose concentrations may vary due to environmental and genetic influences. Additionally, contamination with heavy metals, pesticides, microbial pathogens, adulterants, or substitution with incorrect plant species can compromise safety and therapeutic effectiveness. Without proper quality control measures, such variations may lead to inconsistent clinical responses or adverse effects [65].

Standardization provides numerous advantages, including:

- Authentication of plant materials.
- Prevention of adulteration and substitution.
- Assurance of batch-to-batch consistency.
- Establishment of reproducible therapeutic efficacy.
- Enhancement of consumer confidence.
- Compliance with national and international regulatory standards.
- Facilitation of scientific validation and clinical research.

For reproductive herbal medicines, quality control is especially critical because impurities or variations in active constituents may influence endocrine function, fertility outcomes, embryonic development, and overall reproductive health [66].

### 6.2 Analytical Techniques for Standardization of Herbal Agents

Modern analytical technologies play a crucial role in the characterization, standardization, and quality assessment of herbal medicines. These techniques enable the identification and quantification of marker compounds, detection of contaminants, and evaluation of phytochemical consistency (**Table 5.4**) [67].





## WISELEAF SCIENTIFIC VENTURES

### 6.2.1 High-Performance Thin-Layer Chromatography (HPTLC)

High-Performance Thin-Layer Chromatography (HPTLC) is one of the most widely used techniques for herbal drug standardization. It provides rapid, cost-effective, and reproducible phytochemical fingerprinting of plant extracts. HPTLC allows simultaneous analysis of multiple samples and facilitates the identification of marker compounds based on retention factor (R<sub>f</sub>) values and densitometric measurements [68,69].

In reproductive herbal medicines, HPTLC has been extensively employed for the analysis of phytoconstituents, such as withanolides in *Withania somnifera*, shatavarins in *Asparagus racemosus*, and flavonoids in various fertility-enhancing medicinal plants. The technique is particularly valuable for detecting adulteration and establishing reference fingerprints for quality assurance [70,71].

### 6.2.2 High-Performance Liquid Chromatography (HPLC)

High-Performance Liquid Chromatography (HPLC) is a highly sensitive and precise analytical method widely used for quantitative estimation of phytochemicals. The technique separates individual constituents based on their interactions with stationary and mobile phases, allowing accurate determination of marker compounds [72].

HPLC has become an indispensable tool for standardizing herbal formulations intended for reproductive health applications. It enables the quantification of alkaloids, flavonoids, phenolic acids, steroidal saponins, and other bioactive constituents responsible for fertility-enhancing effects. Furthermore, HPLC facilitates stability studies and quality assessment during product development [73].

### 6.2.3 Liquid Chromatography-Mass Spectrometry (LC-MS)

Liquid Chromatography-Mass Spectrometry (LC-MS) combines chromatographic separation with mass spectrometric detection, offering exceptional sensitivity and structural





## WISELEAF SCIENTIFIC VENTURES

characterization capabilities. LC-MS enables comprehensive profiling of complex phytochemical mixtures and identification of compounds present in trace quantities.

In reproductive phytotherapy research, LC-MS is increasingly utilized to characterize bioactive metabolites, identify novel fertility-enhancing compounds, and establish chemical markers for standardization. The technique also supports pharmacokinetic investigations and metabolomic studies aimed at understanding the biological fate of herbal constituents [74,75].

### 6.2.4 Gas Chromatography-Mass Spectrometry (GC-MS)

Gas Chromatography-Mass Spectrometry (GC-MS) is particularly useful for analyzing volatile and semi-volatile phytochemicals, including essential oils, terpenoids, and aromatic compounds. GC-MS provides detailed information regarding chemical composition and purity, making it valuable for quality control of medicinal plants containing volatile constituents.

Several reproductive medicinal plants contain volatile compounds that contribute to their pharmacological effects. GC-MS analysis helps identify these compounds, establish quality benchmarks, and detect contaminants or degradation products that may affect efficacy or safety [76].

**Table 5.4:** Major Analytical Techniques Used in Herbal Drug Standardization

| Technique | Principle                                                       | Major Applications                                                          |
|-----------|-----------------------------------------------------------------|-----------------------------------------------------------------------------|
| HPTLC     | Separation based on differential migration on adsorbent layers. | Fingerprinting, authentication, and marker compound analysis.               |
| HPLC      | Separation using high-pressure liquid chromatography.           | Quantification of phytochemicals, quality assessment.                       |
| LC-MS     | Chromatographic separation coupled with mass analysis.          | Structural elucidation, metabolite profiling, and biomarker identification. |





## WISELEAF SCIENTIFIC VENTURES

|       |                                                              |                                                                                |
|-------|--------------------------------------------------------------|--------------------------------------------------------------------------------|
| GC-MS | Separation of volatile compounds followed by mass detection. | Essential oil analysis, contaminant detection, phytochemical profiling [77–79] |
|-------|--------------------------------------------------------------|--------------------------------------------------------------------------------|

### 6.3 Quality Control Parameters for Herbal Medicines

Comprehensive quality evaluation of herbal drugs involves assessment of multiple physicochemical, microbiological, and phytochemical parameters. These parameters ensure the safety, purity, and efficacy of herbal formulations before clinical application.

#### (a) Physicochemical Parameters

Physicochemical evaluation typically includes the determination of:

- Moisture content
- Ash values (total ash, acid-insoluble ash, water-soluble ash)
- Extractive values
- pH
- Foreign organic matter
- Particle size distribution

These parameters provide information regarding purity, storage stability, and overall quality of plant materials [80].

#### (b) Phytochemical Evaluation

Phytochemical screening is performed to identify and quantify biologically active constituents such as:

- Alkaloids





## WISELEAF SCIENTIFIC VENTURES

- Flavonoids
- Saponins
- Glycosides
- Tannins
- Phenolic compounds
- Terpenoids

Marker compounds are often selected as quality indicators for standardization purposes [81].

### (c) Microbiological and Toxicological Evaluation

Herbal products must be evaluated for microbial contamination, including bacterial and fungal pathogens. Additionally, heavy metals, pesticide residues, mycotoxins, and residual solvents must be monitored to ensure compliance with safety guidelines established by regulatory agencies such as the WHO, ICH, and national pharmacopoeia [82].

### 6.4 In Silico Drug-Likeness Evaluation of Reproductive Herbal Agents

Recent advances in computational biology and bioinformatics have revolutionized herbal drug discovery. In silico approaches enable researchers to predict pharmacological activity, pharmacokinetic behaviour, toxicity profiles, and molecular interactions before conducting costly laboratory experiments. These methods significantly accelerate the identification and optimization of bioactive phytochemicals for reproductive health applications (**Table 5.5**) [83].

Drug-likeness evaluation refers to the assessment of whether a compound possesses physicochemical properties compatible with successful drug development. One of the most commonly employed criteria is Lipinski's Rule of Five, which evaluates molecular weight, lipophilicity, hydrogen bond donors, and hydrogen bond acceptors. Compounds satisfying these criteria are generally considered more likely to exhibit favourable oral bioavailability.





## WISELEAF SCIENTIFIC VENTURES

Several phytochemicals derived from reproductive medicinal plants, including withaferin A, shatavarin derivatives, quercetin, kaempferol, and luteolin, have been subjected to computational drug-likeness screening. These studies provide valuable information regarding their absorption, distribution, metabolism, excretion, and toxicity (ADMET) characteristics [84].

### **(a) Molecular Docking Studies**

Molecular docking is one of the most widely used computational techniques in phytopharmaceutical research. It predicts the interaction between phytochemicals and biological targets involved in reproductive processes, such as hormone receptors, aromatase enzymes, gonadotropin receptors, and inflammatory mediators [85].

Docking studies have demonstrated promising binding affinities of several herbal constituents toward reproductive targets, supporting their potential use in fertility enhancement and reproductive disorder management. Such findings guide subsequent experimental validation and facilitate rational drug design [86].

### **(b) ADMET Prediction**

ADMET analysis evaluates:

- Absorption
- Distribution
- Metabolism
- Excretion
- Toxicity

These predictions help identify compounds with optimal pharmacokinetic properties and reduced toxicity risks, thereby increasing the likelihood of successful drug development.





## WISELEAF SCIENTIFIC VENTURES

**Table 5.5:** Major In Silico Approaches Used in Herbal Drug Development

| Computational Tool            | Purpose                                                                |
|-------------------------------|------------------------------------------------------------------------|
| Drug-Likeness Screening       | Assessment of pharmaceutical suitability.                              |
| Molecular Docking             | Prediction of ligand-target interactions.                              |
| Molecular Dynamics Simulation | Evaluation of binding stability.                                       |
| ADMET Analysis                | Prediction of pharmacokinetic and toxicity profiles.                   |
| Network Pharmacology          | Investigation of multi-target mechanisms.                              |
| QSAR Modeling                 | Prediction of biological activity based on molecular structure [87,88] |

## 7. Conclusion

Reproductive phytomedicine has emerged as a promising field that combines traditional medicinal knowledge with modern scientific research to address reproductive health challenges. Medicinal plants have long been used to enhance fertility, regulate hormonal balance, improve sexual health, and manage reproductive disorders. Recent pharmacological and clinical studies have provided growing evidence supporting the therapeutic potential of various herbal agents, particularly those rich in antioxidants, adaptogens, phytoestrogens, and anti-inflammatory compounds. These bioactive constituents contribute to improved reproductive function by modulating hormonal pathways, reducing oxidative stress, protecting reproductive tissues, and enhancing overall reproductive health.

Significant progress has been made in validating traditional herbal remedies through pharmacognostic characterization, phytochemical profiling, and advanced analytical techniques. Modern tools such as HPTLC, HPLC, LC-MS, and GC-MS have improved the standardization and quality assessment of herbal products, while computational approaches, including molecular docking and ADMET analysis have accelerated the identification of





## WISELEAF SCIENTIFIC VENTURES

promising phytoconstituents for reproductive applications. These developments have strengthened the scientific foundation of phytomedicine and facilitated its transition toward evidence-based healthcare.

Despite these advances, several challenges continue to hinder the widespread clinical acceptance of reproductive herbal medicines. Most available evidence is derived from preclinical studies, while large-scale, randomized clinical trials remain limited. Variations in plant sources, cultivation conditions, extraction methods, and formulation procedures can also affect phytochemical composition and therapeutic efficacy. Furthermore, insufficient information regarding long-term safety, pharmacokinetics, and herb-drug interactions remains a concern for clinical implementation.

Future research should focus on conducting well-designed clinical trials, establishing standardized quality control protocols, and investigating the molecular mechanisms underlying the reproductive effects of medicinal plants. The integration of emerging technologies such as genomics, proteomics, metabolomics, systems biology, and artificial intelligence may provide deeper insights into the complex interactions between phytochemicals and reproductive pathways. Additionally, sustainable cultivation practices and conservation strategies are essential to ensure the availability of medicinal plant resources while protecting biodiversity.

In conclusion, reproductive phytomedicine holds considerable potential as a complementary and alternative approach for promoting reproductive health and managing infertility-related conditions. Continued collaboration among pharmacognosists, phytochemists, pharmacologists, clinicians, and regulatory agencies will be crucial for translating traditional herbal knowledge into scientifically validated therapeutic interventions. With ongoing advancements in research and standardization, phytomedicines are expected to play an increasingly important role in the future of reproductive healthcare.





## WISELEAF SCIENTIFIC VENTURES

### REFERENCES

- [1] Tsobou R, Mapongmetsem PM, Van Damme P. Medicinal Plants Used for Treating Reproductive Health Care Problems in Cameroon, Central Africa1. *Econ Bot* 2016;70:145–59. <https://doi.org/10.1007/s12231-016-9344-0>.
- [2] Njamen D, Mvondo MA, Djiogue S, Ketcha Wanda GJM, Magne Nde CB, Vollmer G. Phytotherapy and women's reproductive health: the Cameroonian perspective. *Planta Med* 2013;79:600–11. <https://doi.org/10.1055/s-0032-1328326>.
- [3] Ikhoyameh M, Okete WE, Ogboye RM, Owoyemi OK, Gbadebo OS. Integrating traditional medicine into the African healthcare system post-Traditional Medicine Global Summit: challenges and recommendations. *Pan Afr Med J* 2024;47:146. <https://doi.org/10.11604/pamj.2024.47.146.43011>.
- [4] Safia, Lashari S, Khan T, Ali M, Jokhio D, Yahya S. Herbal Supplements and Fertility: A Comprehensive Review. *Journal of Health and Rehabilitation Research* 2024;4:427–38. <https://doi.org/10.61919/jhrr.v4i2.834>.
- [5] Chorocho SH, Malik N, Panesar G, Kumari P, Jangra S, Kaur R, et al. Phytochemicals: Alternative for Infertility Treatment and Associated Conditions. *Oxid Med Cell Longev* 2023;2023:1–21. <https://doi.org/10.1155/2023/1327562>.
- [6] Akbaribazm M, Goodarzi N, Rahimi M. Female infertility and herbal medicine: An overview of the new findings. *Food Sci Nutr* 2021;9:5869–82. <https://doi.org/10.1002/fsn3.2523>.
- [7] Chorocho SH, Malik N, Panesar G, Kumari P, Jangra S, Kaur R, et al. Phytochemicals: Alternative for Infertility Treatment and Associated Conditions. *Oxid Med Cell Longev* 2023;2023:1327562. <https://doi.org/10.1155/2023/1327562>.
- [8] Ikhoyameh M, Okete WE, Ogboye RM, Owoyemi OK, Gbadebo OS. Integrating traditional medicine into the African healthcare system post-Traditional Medicine Global Summit:





## WISELEAF SCIENTIFIC VENTURES

- challenges and recommendations. *Pan Afr Med J* 2024;47. <https://doi.org/10.11604/pamj.2024.47.146.43011>.
- [9] Peng Z, Zhang N, Yin F, Kong L, Sun H, Liu C, et al. A Review of Traditional Chinese Medicine Formulations and Natural Active Ingredients with Therapeutic Potential for Male Infertility Targeting Oxidative Stress. *Pharmaceuticals* 2025;19:12. <https://doi.org/10.3390/ph19010012>.
- [10] Vander Borgh M, Wyns C. Fertility and infertility: Definition and epidemiology. *Clin Biochem* 2018;62:2–10. <https://doi.org/10.1016/j.clinbiochem.2018.03.012>.
- [11] Teede HJ, Misso ML, Costello MF, Dokras A, Laven J, Moran L, et al. Recommendations from the international evidence-based guideline for the assessment and management of polycystic ovary syndrome†‡. *Human Reproduction* 2018;33:1602–18. <https://doi.org/10.1093/humrep/dey256>.
- [12] ESHRE Guideline: management of women with premature ovarian insufficiency. *Human Reproduction* 2016;31:926–37. <https://doi.org/10.1093/humrep/dew027>.
- [13] Kumar N, Singh AK. Trends of male factor infertility, an important cause of infertility: A review of literature. *J Hum Reprod Sci* 2015;8:191–6. <https://doi.org/10.4103/0974-1208.170370>.
- [14] Samaha MM, Helal MG, El-Sherbiny M, Said E, Salem HA. Indapamide Increases IRS1 Expression and Modifies Adiponectin/NLRP3/PPAR $\gamma$  Crosstalk in Type 2 Diabetic Rats. *Antioxidants* 2022;11:691. <https://doi.org/10.3390/antiox11040691>.
- [15] Mendhekar SY, Ashtankar A, Dighade NR, Mehta HD, Gaikwad SS, Dhawane PG, et al. Pharmacognostical Investigation of *Amaranthus cruentus* L., *Allium Cepa* L. and *Tagetes erecta* L., Formulation and Evaluation of Polyherbal Lip Petroleum Jelly. *Res J Pharm Technol* 2025;19:2283. <https://doi.org/10.52711/0974-360X.2026.00329>.





## WISELEAF SCIENTIFIC VENTURES

- [16] Poojari P, Kiran KR, Swathy PS, Muthusamy A. *Withania somnifera* (L.) Dunal: An Overview of Bioactive Molecules, Medicinal Properties and Enhancement of Bioactive Molecules Through Breeding Strategies. In vitro Plant Breeding towards Novel Agronomic Traits, Singapore: Springer Singapore; 2019, p. 1–25. [https://doi.org/10.1007/978-981-32-9824-8\\_1](https://doi.org/10.1007/978-981-32-9824-8_1).
- [17] Parihar S. A literature review on pharmacological activities of *Withania somnifera*. Prog Nucl Energy 6 Biol Sci 2022;02:147–54. <https://doi.org/10.55006/biolsciences.2022.2105>.
- [18] Nalimu F, Oloro J, Kahwa I, Ogwang PE. Review on the phytochemistry and toxicological profiles of *Aloe vera* and *Aloe ferox*. Futur J Pharm Sci 2021;7:145. <https://doi.org/10.1186/s43094-021-00296-2>.
- [19] Surjushe A, Vasani R, Saple D. *Aloe vera*: A short review. Indian J Dermatol 2008;53:163. <https://doi.org/10.4103/0019-5154.44785>.
- [20] Vilar Neto J de O, de Moraes WMAM, Pinto DV, da Silva CA, Caminha J de SR, Nunes Filho JCC, et al. Effects of *Tribulus* (*Tribulus terrestris* L.) Supplementation on Erectile Dysfunction and Testosterone Levels in Men—A Systematic Review of Clinical Trials. Nutrients 2025;17:1275. <https://doi.org/10.3390/nu17071275>.
- [21] Ghanbari A, Akhshi N, Nedaei SE, Mollica A, Aneva IY, Qi Y, et al. *Tribulus terrestris* and female reproductive system health: A comprehensive review. Phytomedicine 2021;84:153462. <https://doi.org/10.1016/j.phymed.2021.153462>.
- [22] Vergara-Jimenez M, Almatrafi M, Fernandez M. Bioactive Components in *Moringa Oleifera* Leaves Protect against Chronic Disease. Antioxidants 2017;6:91. <https://doi.org/10.3390/antiox6040091>.
- [23] Rana E, Sumthane YY, Attri I, Dhiman B. *Picrorhiza kurrooa*: A Promising Himalayan Medicinal Plant with Therapeutic Research and Conservation Challenges. J Biol Nat 2024;16:9–18. <https://doi.org/10.56557/joban/2024/v16i28789>.





## WISELEAF SCIENTIFIC VENTURES

- [24] Alok S, Jain SK, Verma A, Kumar M, Mahor A, Sabharwal M. Plant profile, phytochemistry and pharmacology of *Asparagus racemosus* (Shatavari): A review. *Asian Pac J Trop Dis* 2013;3:242–51. [https://doi.org/10.1016/S2222-1808\(13\)60049-3](https://doi.org/10.1016/S2222-1808(13)60049-3).
- [25] Joshi G, Rawat M, Bisht V, Negi J, Singh P. Chemical constituents of *Asparagus*. *Pharmacogn Rev* 2010;4:215. <https://doi.org/10.4103/0973-7847.70921>.
- [26] Singh N, Bhalla M, De Jager P, Gilca M. An Overview on Ashwagandha: A Rasayana (Rejuvenator) of Ayurveda. *African Journal of Traditional, Complementary and Alternative Medicines* 2011;8. <https://doi.org/10.4314/ajtcam.v8i5S.9>.
- [27] Leung K, Wong A. Pharmacology of ginsenosides: a literature review. *Chin Med* 2010;5:20. <https://doi.org/10.1186/1749-8546-5-20>.
- [28] Heinrich M. Estudios etnobotánicos en Campoo (Cantabria). Conocimiento y uso tradicional de plantas. *J Ethnopharmacol* 2009;122:175–6. <https://doi.org/10.1016/j.jep.2008.12.001>.
- [29] Firouzabadi AM, Zare-Zardini H, Fesahat F. *Moringa oleifera* Lam. As a Herbal Antioxidant-Enriched Semen Extender in Cryopreservation: A Critical Review of Its Protective Potential. *Vet Med Sci* 2026;12. <https://doi.org/10.1002/vms3.70709>.
- [30] Aljabali AAA, Bashatwah RM, Gammoh O, Qnais E, Alqudah A, Mishra V, et al. Harnessing nature's potential: Exploring phytoestrogens in cervical cancer. *Phytomedicine Plus* 2025;5:100796. <https://doi.org/10.1016/j.phyplu.2025.100796>.
- [31] Guelfi G, Pasquariello R, Anipchenko P, Capaccia C, Pennarossa G, Brevini TAL, et al. The Role of Genistein in Mammalian Reproduction. *Molecules* 2023;28. <https://doi.org/10.3390/molecules28217436>.
- [32] Desmawati D, Sulastri D. Phytoestrogens and Their Health Effect. *Open Access Maced J Med Sci* 2019;7:495–9. <https://doi.org/10.3889/oamjms.2019.086>.





## WISELEAF SCIENTIFIC VENTURES

- [33] Nasimi Doost Azgomi R, Zomorodi A, Nazemyieh H, Fazljou SMB, Sadeghi Bazargani H, Nejabatbakhsh F, et al. Effects of *Withania somnifera* on Reproductive System: A Systematic Review of the Available Evidence. *Biomed Res Int* 2018;2018:1–17. <https://doi.org/10.1155/2018/4076430>.
- [34] Mahdi AA, Shukla KK, Ahmad MK, Rajender S, Shankhwar SN, Singh V, et al. *Withania somnifera* Improves Semen Quality in Stress-Related Male Fertility. *Evidence-Based Complementary and Alternative Medicine* 2011;2011. <https://doi.org/10.1093/ecam/nep138>.
- [35] Setiyowati PAI, Yuningtyaswari Y, Primindari RS, Maghfuroh L, Sari NIP, Oktavia NF, et al. *Moringa oleifera* Leaf Extract Modulates Oxidative Stress and Hormonal Imbalance To Alleviate Di-(2-ethylhexyl) Phthalate-Induced Testicular Injury in Rats. *Journal of Animal Health and Production* 2025;13. <https://doi.org/10.17582/journal.jahp/2025/13.4.1261.1269>.
- [36] Kumar S, Patial V, Soni S, Sharma S, Pratap K, Kumar D, et al. *Picrorhiza kurroa* Enhances  $\beta$ -Cell Mass Proliferation and Insulin Secretion in Streptozotocin Evoked  $\beta$ -Cell Damage in Rats. *Front Pharmacol* 2017;8. <https://doi.org/10.3389/fphar.2017.00537>.
- [37] Masood M. *Picrorhiza kurroa*: An ethnopharmacologically important plant species of Himalayan region. *Pure and Applied Biology* 2015;4:407–17. <https://doi.org/10.19045/bspab.2015.43017>.
- [38] Küpeli Akkol E, Tatlı Çankaya I, Şeker Karatoprak G, Carpar E, Sobarzo-Sánchez E, Capasso R. Natural Compounds as Medical Strategies in the Prevention and Treatment of Psychiatric Disorders Seen in Neurological Diseases. *Front Pharmacol* 2021;12. <https://doi.org/10.3389/fphar.2021.669638>.
- [39] Liu S, Wang R, Yu W, Shi C, Wang X, Liu A, et al. Natural Products in the Metabolic and Endocrine Modulation of Polycystic Ovary Syndrome: Current Perspectives. *Nutrients* 2026;18:964. <https://doi.org/10.3390/nu18060964>.





## WISELEAF SCIENTIFIC VENTURES

- [40] Li L, Qin X. Research Progress of PI3K/Akt Signaling Pathway in Polycystic Ovary Syndrome. *J Biosci Med (Irvine)* 2026;14:488–501. <https://doi.org/10.4236/jbm.2026.144034>.
- [41] Lu C, Li X, Zhao X, Zou Z, Zhao J, Liu J, et al. Review on mechanisms and therapeutic advances in inorganic arsenic-induced reproductive system disorders. *All Life* 2025;18. <https://doi.org/10.1080/26895293.2025.2547248>.
- [42] Chorocho SH, Malik N, Panesar G, Kumari P, Jangra S, Kaur R, et al. Phytochemicals: Alternative for Infertility Treatment and Associated Conditions. *Oxid Med Cell Longev* 2023;2023:1327562. <https://doi.org/10.1155/2023/1327562>.
- [43] Zhang L, Xu L-Y, Tang F, Liu D, Zhao X-L, Zhang J-N, et al. New perspectives on the therapeutic potential of quercetin in non-communicable diseases: Targeting Nrf2 to counteract oxidative stress and inflammation. *J Pharm Anal* 2024;14:100930. <https://doi.org/10.1016/j.jpha.2023.12.020>.
- [44] Ye X, Hong X, Liu Y, Wang Z, Zhang X, Zheng Y, et al. Advancing the frontiers of phytotherapy: a comprehensive review of botanical interventions targeting mitochondrial quality control to ameliorate endometriosis. *Front Cell Dev Biol* 2026;14. <https://doi.org/10.3389/fcell.2026.1813085>.
- [45] World PW-M and AP of the, 2022 undefined. Important Medicinal Plants-Bhutan. EolssNet n.d.
- [46] Chaudhary N, Ghimire SK, Chaudhary RP. Traditional Amchi Medicinal Practice in Trans-Himalaya of Nepal: Conservation and Bioprospecting. *Springer* 2023:307–27. [https://doi.org/10.1007/978-3-031-28780-0\\_11](https://doi.org/10.1007/978-3-031-28780-0_11).
- [47] Ghimire S, Bista G, Lama N, ... SC-... N and H, 2021 undefined. Without the plants, we have no medicine: Sowa Rigpa, ethnobotany, and conservation of threatened species in Nepal. ResearchgateNet n.d.





## WISELEAF SCIENTIFIC VENTURES

- [48] Manish Ji A, Chaudhary G, Kumar Verma S. REVITALIZING FERTILITY: A CASE REPORT ON THE AYURVEDIC MANAGEMENT OF OLIGOSPERMIA (SHUKRAKSHAYA). ResearchgateNet 2025;2025:54–72.
- [49] Edah M, Oritsemuelebi B, Prosper AE, Asiwe JN, Parisi C, Pane C, et al. Preclinical Evidence on Plant-Derived Aphrodisiacs and Male Reproductive Function: Mechanisms, Hormonal Modulation, and Translational Implications. Springer 2026;12. <https://doi.org/10.1007/S40495-026-00447-0>.
- [50] Joglekar A, Joshi S, Bhojani M, Vyas M, Nesari T. Nutraceutical Supplementation+ Holstein Feed Surplus in Rams: Corporal, Metabolic, and Testicular Volumetry-Sperm Variables; The Robin Hood Effect. MdpiCom 2026. <https://doi.org/10.1177/26318318261442263>.
- [51] Chary JS, Sharma A. Withania Somnifera: A Rasayana Herb for Sustainable Management of Human Health and Overall Well-Being. TaylorfrancisCom 2024;33–47. <https://doi.org/10.1201/9781003517108-3/WITHANIA-SOMNIFERA-JACKSON-SUGUNAKARA-CHARY-ANURADHA-SHARMA>.
- [52] Kumar B, Bajpai V, Gond V, Tiwari S, Madhusudanan KP. Phytochemistry of Withania somnifera. CRC Press; 2021. <https://doi.org/10.1201/9781003186274>.
- [53] Kumar P, Banik SP, Goel A, Chakraborty S, Bagchi M, Bagchi D. Revisiting the Multifaceted Therapeutic Potential of Withaferin A (WA), a Novel Steroidal Lactone, W-ferinAmax Ashwagandha, from Withania Somnifera (L) Dunal. Taylor & Francis 2024;43:115–30. <https://doi.org/10.1080/27697061.2023.2228863>.
- [54] Umadevi M, Rajeswari R, ... CR-T pharma, 2012 undefined. Traditional and medicinal uses of Withania somnifera. BharatvedCom 2025;0:1–22. <https://doi.org/10.1002/ptr.70079>.
- [55] Sengupta P, Dutta S, Science TI-J of I, 2024 undefined. Oxidants and antioxidants in male reproduction: roles of oxidative and reductive stress. PubsThescienceinOrg n.d.;2024:753.





## WISELEAF SCIENTIFIC VENTURES

- [56] Ribas-Maynou J, Biology MY-, 2020 undefined. Oxidative stress in male infertility: causes, effects in assisted reproductive techniques, and protective support of antioxidants. MdpiCom n.d.
- [57] O’Flaherty C, Reproduction ES-, 2022 undefined. Oxidative stress and reproductive function: The protection of mammalian spermatozoa against oxidative stress. RepBioscientificaCom n.d.
- [58] D’Souza L, Paithankar J, Siddique H, Medicines AS-H, 2022 undefined. Future of herbal medicines in assisted reproduction. Elsevier n.d.
- [59] Chavan P. An experimental evaluation of shukrajanan activity of Jatamansi Phanta (Nordostachys Jatamansi DC) WSR to spermatogenic activity 2020.
- [60] Wani I, Kumar V, Verma S, Jan AT, Plants IR-, 2020 undefined. *Dactylorhiza hatagirea* (D. Don) Soo: A Critically Endangered Perennial Orchid from the North-West Himalayas. MdpiCom n.d.
- [61] Sharma S, Kumar V, Seth CA, Sourirajan A, El-Shazly M, Dev K. A comprehensive review on the phytochemistry, pharmacological properties, and in vitro propagation of an endemic medicinal orchid, *Dactylorhiza hatagirea*. Springer 2024;397:2621–35. <https://doi.org/10.1007/S00210-023-02827-5>.
- [62] Souza DCS, Tesser PEH, Tirelli EF da S, Jasim R, Amaro MC, Cajas RA, et al. A Multidimensional Evaluation of Sakuranetin against *Schistosoma mansoni*: From Drug-Likeness to In Vivo Efficacy. ACS Publications 2026. <https://doi.org/10.1021/ACSOMEGA.6C03820>.
- [63] Ahmed SR, Al-Sanea MM, Mostafa EM, Qasim S, Abelyan N, Mokhtar FA. A Network Pharmacology Analysis of Cytotoxic Triterpenes Isolated from *Euphorbia abyssinica* Latex Supported by Drug-likeness and ADMET Studies. ACS Publications 2022;7:17713–22. <https://doi.org/10.1021/ACSOMEGA.2C00750>.





## WISELEAF SCIENTIFIC VENTURES

- [64] Gheidari D, Mehrdad M, Etedali M, Nur Muhammad Ansori A, Kumar Banerjee A, Metropolitana A, et al. Identification of natural compounds as potential inhibitors of Interleukin-23: virtual screening, ADMET, drug-likeness, and dynamic simulation. *FrontiersinOrg* 2025;5. <https://doi.org/10.3389/FDDSV.2025.1525533/FULL>.
- [65] Riaz R, Parveen S, Shafiq N, Ali A, Rashid M. Virtual screening, ADME prediction, drug-likeness, and molecular docking analysis of *Fagonia indica* chemical constituents against antidiabetic targets. *Springer* 2025;29:1139–60. <https://doi.org/10.1007/S11030-024-10897-7>.
- [66] Ojuka P, Nyamato GS, Santos CBR, Kimani NM. Docking, Validation, ADMET, and Drug Likeness Prediction of Phytochemicals Against Multiple Therapeutic Targets of Diabetes Mellitus: In Silico Evaluation of .... *ThesesSbmuAcIr* 2025;19. <https://doi.org/10.1371/JOURNAL.PNTD.0013579>.
- [67] Klein-Junior LC, De Souza MR, Viaene J, Bresolin TMB, De Gasper AL, Henriques AT, et al. Quality control of herbal medicines: From traditional techniques to state-of-the-art approaches. *Thieme-ConnectCom* 2021;87:964–88. <https://doi.org/10.1055/A-1529-8339>.
- [68] Bhargavi S, Madhan Shankar SR, Jemmy CH. In silico and in vitro studies on inhibitors for SARS-CoV-2 non-structural proteins with dual herbal combination of *Withania somnifera* with five rasayana herbs. *Taylor & Francis* 2023;41:3265–80. <https://doi.org/10.1080/07391102.2022.2046642>.
- [69] Mawal P, Kapoor M, Pradhan SK, Rani J, Gupta RC. Comparative HPTLC analysis of shatavarin IV, sarsasapogenin, caffeic acid,  $\beta$ -sitosterol and lupeol in roots and cladodes of ten *Asparagus L. ssp.* from North India. *Taylor & Francis* 2024. <https://doi.org/10.1080/14786419.2024.2405883>.
- [70] Malabadi RB, Mr S, Kolkar KP, Mammadova SS, Chalannavar RK, Baijnath H. Role of Plant derived-medicine for controlling Cancer. *ResearchgateNet* 2024;2024:2502–39. <https://doi.org/10.30574/ijjsra.2024.11.1.0315>.





## WISELEAF SCIENTIFIC VENTURES

- [71] Champati BB, Padhiari BM, Ray A, Sahoo A, Jena S, Sahoo T, et al. Assessment of variation in Shatavarin IV content in *Asparagus racemosus* through HPTLC analysis and identification of elite germplasm from Eastern India. *PknaiklabIn* 2023;16:169–205. [https://doi.org/10.1007/978-981-99-2824-8\\_11](https://doi.org/10.1007/978-981-99-2824-8_11).
- [72] Paul T, Lifestyle KK of herbal medicines: M of, 2024 undefined. Standardization of herbal medicines for lifestyle diseases. *Springer* 2024:545–57. [https://doi.org/10.1007/978-981-99-7703-1\\_27](https://doi.org/10.1007/978-981-99-7703-1_27).
- [73] Noviana E, Indrayanto G, Rohman A. Advances in fingerprint analysis for standardization and quality control of herbal medicines. *FrontiersinOrg* 2022;13. <https://doi.org/10.3389/FPHAR.2022.853023/FULL>.
- [74] Patidar A, and PK-AJ of PR, 2025 undefined. A comprehensive review on liquid chromatography-mass spectrometry (LC-MS): A hyphenated technique. *AjprdCom* 2025;8. <https://doi.org/10.1002/SSCP.70073>.
- [75] Advances SA-AS, 2025 undefined. Recent advances in liquid chromatography–mass spectrometry (LC–MS) applications in biological and applied sciences. *Wiley Online Library* 2025;6. <https://doi.org/10.1002/ANSA.70024>.
- [76] Nandhini S, Ashokkumar G, Rani CI, Boominathan P, Gurusamy K, Sundar STB. Phytochemical characterization of ethanolic and ethyl acetate extracts of avocado *Persea americana* leaves by FT-IR and GC-MS reveals potential bioactive. *NatureCom* 2025;7:439. <https://doi.org/10.1007/S42452-025-06896-4>.
- [77] Sireesha B, Ravi Kumar J, Siva P, Pavan M, Basheer K, Ashok E, et al. A review on comparison of HPLC and HPTLC. *SaapjournalsOrg* 2023. <https://doi.org/10.37022/jiaps.v8i3.491>.
- [78] Parys W, Dołowy M, Processes AP-P-, 2022 undefined. Significance of chromatographic techniques in pharmaceutical analysis. *MdpiCom* n.d.





## WISELEAF SCIENTIFIC VENTURES

- [79] Singhal R, Verma S, Singh V. Phytochemical investigation of *Nigella sativa* seed extract by HPTLC, HPLC and GC-MS: a comparative geographical study. Taylor & Francis 2025;39:5607–13. <https://doi.org/10.1080/14786419.2024.2348673>.
- [80] Edo GI, Obasohan P, Makia RS, Abiola O T, Umelo EC, Jikah AN, et al. The use of quality control parameters in the evaluation of herbal drugs. A review. Springer 2024;1:168. <https://doi.org/10.1007/S44337-024-00177-6>.
- [81] Ovuru K, Izah S, Yasmin H, ... KE-H medicine, 2024 undefined. Microbial contaminants of herbal remedies: health risks and sustainable quality control strategies. Springer n.d.
- [82] Narayanan P, Pharmaceutical CV-C, 2025 undefined. Screening of Optimal Phytoconstituents through In silico Docking, Toxicity, Pharmacokinetic, and Molecular Dynamics Approach for Fighting against Polycystic. BenthamdirectCom 2024;31:2085–104. <https://doi.org/10.2174/0113816128330398241015115043>.
- [83] Jahangeer M, Mustafa G, Munir N, Molecules SA-, 2023 undefined. Exploring the potential of plant bioactive compounds against male infertility: An in silico and in vivo study. MdpiCom 2023;11:733–42. [https://doi.org/10.56499/jppres23.1610\\_11.5.733](https://doi.org/10.56499/jppres23.1610_11.5.733).
- [84] Hussain S, Javed A, Razia DEm, Ashiq N, Iqbal MJ, Jahangeer M, et al. In silico evaluation and ADMET profiling of phytochemicals from *Diodia sarmentosa* as potential anti-fibroid agents. JobasrfudutsinmaCom 2025;32:3976–4002. <https://doi.org/10.1007/S43032-025-01998-1>.
- [85] Widiawati I, Setiawan H, Putri Sekar A, Elya B, Binti N, Hashim M, et al. Molecular Dynamics and Simulation Studies on Herbal Contraceptives as Progesterone Receptor modulators. IeeexploreIeeeOrg 2024;72:1. <https://doi.org/10.31925/farmacia.2024.1.8>.
- [86] Ralte L, Sailo H, Kumar R, Khiangte L, Kumar NS, Singh YT. Exploring *Potentilla nepalensis* Phytoconstituents: Integrated Strategies of Network Pharmacology, Molecular Docking,





## WISELEAF SCIENTIFIC VENTURES

Dynamic Simulations, and MMGBSA. *MdpiCom* 2024;24. <https://doi.org/10.1186/S12906-024-04415-3>.

- [87] Sharma S, Padhi S, Chourasia R, Dey S, Patnaik S, Sahoo D. Phytoconstituents from *Urtica dioica* (stinging nettle) of Sikkim Himalaya and their molecular docking interactions revealed their nutraceutical potential as  $\alpha$ -amylase. *Springer* 2023;60:2649–58. <https://doi.org/10.1007/S13197-023-05789-X>.
- [88] Salaria D, Rolta R, Mehta J, Awofisayo O, Fadare OA, Kaur B, et al. In vitro and in silico studies for the identification of potent metabolites of some high-altitude medicinal plants from Nepal inhibiting SARS-CoV-2 spike protein. *MdpiCom* 2022;17. <https://doi.org/10.1371/JOURNAL.PONE.0265420>.

